

STANDARD STRIP BRUSHES

In practice, we find very often similar problems. That is why we offer a standard range of strip brushes with suitable holders. Our standard range consists of an aluminium profile (sometimes plastic) and a high-quality polypropylene brush treated with UV protection. These brushes are offered in 1-meter and 3-meter lengths, which can be cut to size as needed. **For specific requirements, please don't hesitate to get in touch with us.**

Profile types

H-PROFILE

F-PROFILE

Y-PROFILE

The strip brushes are supplied with H, F, or Y aluminium profiles. These are available in various dimensions and corresponding fibre lengths. This variety of options gives you many possibilities for different uses. You can customize the solution to perfectly match your requirements.

Applications

Standard strip brushes are versatile and highly functional with a wide range of applications across various industries such as:

- Sealing
- Cleaning
- Guiding
- Climate control
- Prevention of rodents and insects
- Aesthetic finishing




And many more..!

H-PROFILES STANDARD PRODUCT RANGE

Cost efficient | Short delivery period | Quick and easy assembly

H-PROFILE

(scale 1:1)



PROFILE H2

Fibre length	Model
S = 10	H2-10


PROFILE H3

Fibre length	Model
S = 14	H3-14
S = 24	H3-24
S = 34	H3-34

PROFILE H5

Fibre length	Model
S = 25	H5-25
S = 35	H5-35
S = 45	H5-45

All dimensions in mm.



Colour options:
Untreated or silver anodised, different colour options upon request.

PROFILE PVC [P]	
Fibre length	Model
S = 25	P5-25
S = 35	P5-35
S = 45	P5-45

PROFILE ALUMINIUM [G]	
Fibre length	Model
S = 25	G5-25
S = 35	G5-35
S = 45	G5-45

PROFILE H8	
Fibre length	Model
S = 40	H8-40
S = 60	H8-60
S = 80	H8-80
S = 120	H8-120
S = 150	H8-150

STRIP BRUSHES

| F-PROFILES STANDARD PRODUCT RANGE

Cost efficient | Short delivery period | Quick and easy assembly

Specifications

- Available in various dimensions and fibre lengths
- Consists of an aluminium F-profile and PP UV treated filaments
- Offered in 1-meter and 3-meter lengths
- Can be cut to size as needed

Contact us for specific requirements.

F-PROFILE

(scale 1:1)



PROFILE F2

Fibre length	Model
S = 10	F2-10

PROFILE F3

Fibre length	Model
S = 14	F3-14
S = 24	F3-24
S = 34	F3-34

PROFILE F5

Fibre length	Model
S = 25	F5-25
S = 35	F5-35
S = 45	F5-45

PROFILE F8

Fibre length	Model
S = 40	F8-40
S = 60	F8-60
S = 80	F8-80
S = 120	F8-120
S = 150	F8-150

All dimensions in mm.

Y-PROFILES STANDARD PRODUCT RANGE

Cost efficient | Short delivery period | Quick and easy assembly

Specifications

- Available in various dimensions and fibre lengths
- Consists of an aluminium Y-profile and PP UV treated filaments
- Offered in 1-meter and 3-meter lengths
- Can be cut to size as needed

Contact us for specific requirements.

Y-PROFILE
(scale 1:1)



PROFILE Y3	
Fibre length	Model
S = 14	Y3-14
S = 24	Y3-24
S = 34	Y3-34

PROFILE Y5	
Fibre length	Model
S = 25	Y5-25
S = 35	Y5-35
S = 45	Y5-45

PROFILE Y8	
Fibre length	Model
S = 40	Y8-40
S = 60	Y8-60
S = 80	Y8-80
S = 120	Y8-120
S = 150	Y8-150

All dimensions in mm.



Colour options:
Untreated or silver anodised, different colour options upon request.